

Platform/Stake Body Application



Vehicle shown with equipment from an independent supplier. See the owner's manual for information on alterations and warranties.

Carrying everything from livestock to lumber and scrap metal, platform/stake applications are among the most versatile of work trucks. Properly spec'd, they can meet the diverse needs of many different kinds of customers.

See Powertrain Combinations chart for applicable engines, transmissions and 2WD/4WD availability.

Model	Cab or Equipment	WB/CA	Drive Axle(s)	Body Length (ft.)						GVWR (lb.)*	Max. Body and Payload (lb.)** without bed
				6	7	8	10	12	14		
Canyon/Colorado Silverado/Sierra 2500HD Classic with ZW9 pickup bed delete	Chassis Cab	126/48.9	2WD	■	■					5300	2214
	Reg. Cab	133/55.9	2WD			■				9200	4731
			4WD			■			9200	4470	
	Ext. Cab	157.5/55.9	2WD			■				9200	4273
			4WD			■			9200	4012	
	Crew Cab	167/55.9	2WD			■				9200	4058
4WD					■			9200	3762		
Silverado/Sierra 3500 Classic with ZW9 pickup bed delete	Reg. Cab	133/55.9	2WD			■				9600	4658 SRW
			4WD			■			9900 SRW 11400 DRW	4784 SRW 6164 DRW	
	Ext. Cab	157.5/55.9	2WD			■				9800 SRW 11400 DRW	4612 SRW 6031 DRW
			4WD			■			9900 SRW 11400 DRW	4386 SRW 5753 DRW	
	Crew Cab	167/55.9	2WD			■				9900 SRW 11400 DRW	4382 SRW 5845 DRW
			4WD			■			9900 SRW 11400 DRW	4160 SRW 5526 DRW	
Silverado/Sierra 3500 Classic Chassis Cab	Reg. Cab SWB	137/60.4	2WD			■				11400	5897
			4WD			■			12000	6226	
	Reg. Cab LWB	161.5/84.9	2WD			■	■	■		11400	5814
			4WD			■	■	■	12000	6113	
	Ext. Cab	161.5/60.4	2WD			■				11400	5423
			4WD			■			12000	5728	

* When properly equipped; Includes weight of vehicle, passengers, cargo, and equipment.


** Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.

New GM Heavy-Duty Vehicles

Model	Cab or Equipment	WB/CA	Drive Axle(s)	Body Length (ft.)						GVWR (lb.)*	Max. Body and Payload (lb.)** without bed	
				8	10	12	14	16	18			
Silverado/Sierra 2500HD with ZW9 pickup bed delete	Reg. Cab	133/55.9	2WD	■						9200	4406	
			4WD	■						9200	4152	
	Ext. Cab	157.5/55.5	2WD	■						9200	3993	
			4WD	■						9200	3720	
	Crew Cab	167/55.5	2WD	■						9200	3834	
			4WD	■						9200	3204	
Silverado/Sierra 3500 with ZW9 pickup bed delete	Reg. Cab	133/55.9	2WD	■						9700	4785 SRW	
			4WD	■						9900 SRW 11400 DRW	4886 SRW 6038 DRW	
	Ext. Cab	157.5/55.9	2WD	■						9900 SRW 11400 DRW	4622 SRW 5760 DRW	
			4WD	■						9900 SRW 11400 DRW	4346 SRW 5496 DRW	
	Crew Cab	167/55.9	2WD	■						9900 SRW 11400 DRW	4452 SRW 5592 DRW	
			4WD	■						9900 SRW 11400 DRW	4261 SRW 5320 DRW	
	Silverado/Sierra 3500 Chassis Cab	Reg. Cab SWB	137/60.4	2WD	■						11400	5655
				4WD	■						12000	6001
Reg. Cab LWB		161.5/84.9	2WD	■	■	■				11400	5569	
			4WD	■	■	■				12000	5954	
Ext. Cab		161.5/60.4	2WD	■						11400	5151	
			4WD	■						12000	5475	

* When properly equipped; Includes weight of vehicle, passengers, cargo, and equipment.

** Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.

Model	Cab or Equipment	WB/CA	Drive Axle(s)	Body Length (ft.)						GVWR (lb.)*	Max. Body and Payload (lb.)**
				8	10	12	14	16	18		
 Kodiak/TopKick C4500	Regular Cab C4C042	128/60	2WD	■						15000/16500/17500	9550/10498
		152/84	2WD		■	■					
		176/108	2WD			■	■	■			
		188/120	2WD			■	■	■	■		
	Regular Cab C4C044	152/84	4WD	■	■	■				17500	9277
		176/108	4WD		■	■	■	■			
		188/120	4WD			■	■	■	■		
	Crew Cab C4E042	169/60	2WD	■						15000/16500/17500	8189/9179
		194/84	2WD		■	■					
		217/108	2WD			■	■				
		229/120	2WD			■	■	■			
	Crew Cab C4E044	169/60	4WD	■						15000/17500	8245
		194/84	4WD	■	■	■					
		217/108	4WD		■	■	■	■			
		229/120	4WD			■	■	■	■		

* When properly equipped; includes weight of vehicle, passengers, cargo, and equipment.

** Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.