

Colorado

Available Chassis Cab Models

- 2WD Chassis Cab (CS15603)
- 4WD Chassis Cab (CT15603)

Engine

| | |
|-----|---|
| LLR | 3.7L DOHC, 5-cylinder SFI 242 horsepower, 242 lb.-ft. torque |
|-----|---|

| Model | Engine | Transmissions | Axle | GVWR ¹ (pounds) |
|----------------------|----------------|---------------------------------|------------|----------------------------|
| | | 4-Speed Automatic with OD (M30) | 3.73 (GT4) | 5500 (C8S) |
| CS15603/ CT15603/ | 3.7L I-5 (LLR) | S | S | S |

S = Standard Equipment

1. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Silverado/Sierra 1500

Available Models, offering optional Snow Plow Prep Package

- 4WD Regular Cab Standard Box (CK10703/TK10703)
- 4WD Regular Cab Long Box (CK10903/TK10903)

Engines, offering optional Snow Plow Prep Package

| | |
|---------|---|
| L20 | Vortec 4.8L V8 SFI, E85 FlexFuel ² 302 horsepower, 305 lb.-ft. torque |
| LMG/LC9 | Vortec 5.3L V8 SFI, Active Fuel Management™, E85 FlexFuel ² 315 horsepower, 335 lb.-ft. torque With E85 — 326 horsepower, 348 lb.-ft. torque |

| Model | Engine | Transmissions | | Axles | | | | GVWR ¹ (pounds) | |
|---------------------|-------------------|---------------------------------|----------------------------|------------|------------|----------------|------------|----------------------------|---------------|
| | | 4-Speed Automatic with OD (M30) | 6-Speed Automatic HD (MYC) | 3.08 (GU4) | 3.23 (GU5) | 3.42 (GU6) | 3.73 (GT4) | 6400 (C7H) | 6800 (C5U) |
| CK10*03/ TK10*03 | 4.8L V8 (L20) | S | — | — | — | A | — | S Std. Box | A Long Box |
| CK10*03/ TK10*03 | 5.3L V8 (LMG/LC9) | — | S | S | — | A ³ | — | S Std. Box | A Long Box |

S = Standard Equipment A = Available — = Not Available

1. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

2. E85 is 85% ethanol, 15% gasoline. Visit <http://www.gmfleet.com/alternative-fuels/alt-fuels.jsp> to see where there is an E85 station near you.

3. Requires (K5L) heavy-duty cooling package.

Silverado/Sierra 2500HD

Available Models, with Pickup Box Delete (ZW9)

- 2WD Regular Cab (CC20903/TC20903)
- 2WD Extended Cab (CC20953/TC20953)
- 2WD Crew Cab (CC20943/TC20943)
- 4WD Regular Cab (CK20903/TK20903)
- 4WD Extended Cab (CK20953/TK20953)
- 4WD Crew Cab (CK20943/TK20943)

Engines with Pickup Box Delete

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI 322 horsepower, 380 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 335 horsepower, 685 lb.-ft. torque |

Available Models, offering optional Snow Plow Prep Package (VYU)

- 4WD Regular Cab Long Box (CK20903/TK20903)
- 4WD Extended Cab Standard Box (CK20753/TK20753)
- 4WD Extended Cab Long Box (CK20953/TK20953)
- 4WD Crew Cab Standard Box (CK20743/TK20743)
- 4WD Crew Cab Long Box (CK20943/TK20943)

Engines offering optional Snow Plow Prep Package

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI, E85 FlexFuel ¹ 360 horsepower, 380 lb.-ft. torque (Fleetside) 322 horsepower, 380 lb.-ft. torque (pickup box delete) |
| LML | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible (Fleetside only) 397 horsepower, 765 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible (pickup box delete only) 335 horsepower, 685 lb.-ft. torque |

S = Standard Equipment

A = Available

— = Not Available

1. E85 is 85% ethanol, 15% gasoline. Visit gm.com/biofuels to see where there is an E85 station near you.

2. Standard on C20953, C20943, K20903, K20953

3. Available on K20943 only

4. Standard on C20903

5. Standard on K20903

6. Standard on C20953, C20943, K20953, K20943; available on C20903 with (UB7) Higher Payload Performance Package

7. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

| Model | Engine | Transmissions | | Axles | | GVWR ⁷ (pounds) | | | |
|--|-------------------|----------------------------|--------------------------------------|------------|------------|----------------------------|----------------|----------------|----------------|
| | | 6-Speed Automatic HD (MYD) | Allison 1000 6-Speed Automatic (MW7) | 3.73 (GT4) | 4.10 (GT5) | 9300 (G4A) | 9500 (GEH) | 9900 (C4M) | 10000 (C7A) |
| CC20**3/ TC20**3 CK20**3/ TK20**3 | 6.0L V8 (L96) | S | — | S | A | — | S ² | A ³ | — |
| | 6.6L V8 (LML/LGH) | — | S | S | — | S ⁴ | — | S ⁵ | S ⁶ |

Silverado/Sierra 3500HD

Available Models, with Pickup Box Delete

- 2WD Regular Cab Long Box with Single Rear Wheel only (CC30903/TC30903)
- 2WD Extended Cab Long Box with Single or Dual Rear Wheel (CC30953/TC30953)
- 2WD Crew Cab Long Box with Single or Dual Rear Wheel (CC30943/TC30943)
- 4WD Regular Cab Long Box with Single or Dual Rear Wheel (CK30903/TK30903)
- 4WD Extended Cab Long Box with Single or Dual Rear Wheel (CK30953/TK30953)
- 4WD Crew Cab Long Box with Single or Dual Rear Wheel (CK30943/TK30943)

Engines with Pickup Box Delete

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI 322 horsepower, 380 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 335 horsepower, 685 lb.-ft. torque |

Available Models, with Snow Plow Prep Package

- 4WD Regular Cab Long Box (CK30903/TK30903)
- 4WD Extended Cab Long Box (CK30953/TK30953)
- 4WD Crew Cab Standard Box (CK30743/TK30743)
- 4WD Crew Cab Long Box (CK30943/TK30943)

Engines with Snow Plow Prep Package

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI, E85 FlexFuel ¹ 360 horsepower, 380 lb.-ft. torque (Fleetside only) 322 horsepower, 380 lb.-ft. torque (pickup box delete only) |
| LML | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible (Fleetside only) 397 horsepower, 765 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible (pickup box delete only) 335 horsepower, 685 lb.-ft. torque |

1. E85 is 85% ethanol, 15% gasoline. Visit gm.com/biofuels to see where there is an E85 station near you.

Silverado/Sierra 3500HD (continued)

| Regular Cab | | Transmission | | Axles | | GVWR ³ (pounds) | | | | | | |
|---------------------|-------------------|----------------------------|---------------------------------|----------------|------------|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Model | Engine | 6-Speed Automatic HD (MYD) | Allison 6-Speed Automatic (MW7) | 3.73 (GT4) | 4.10 (GT5) | 10000 (C7A) | 10400 (JF) | 10700 (JFK) | 11100 (JFN) | 11400 (C7W) | 12800 (9F6) | 13000 (C7J) |
| CK30903/ TK30903 | 6.0L V8 (L96) | S | — | S ¹ | A | A ² | S ² | S ² | — | — | A ¹ | — |
| | 6.6L V8 (LML/LGH) | — | A | S | — | — | — | — | A ² | A ² | — | A ¹ |

| Extended Cab | | Transmission | | Axles | | GVWR ³ (pounds) | | | | |
|---------------------|------------------|----------------------------|---------------------------------|------------|------------|----------------------------|----------------|----------------|----------------|----------------|
| Model | Engine | 6-Speed Automatic HD (MYD) | Allison 6-Speed Automatic (MW7) | 3.73 (GT4) | 4.10 (GT5) | 10000 (C7A) | 11000 (C7E) | 11200 (JFO) | 11600 (C7V) | 13000 (C7J) |
| CC30953/ TC30953 | 6.0L V8 (L96) | S | — | S | A | A ² | — | — | — | A ¹ |
| | 6.6 V8 (LML/LGH) | — | A | S | — | — | — | A ² | — | A ¹ |
| CK30953/ TK30953 | 6.0L V8 (L96) | S | — | S | A | A ² | S ² | — | — | A ¹ |
| | 6.6 V8 (LML/LGH) | — | A | S | — | — | — | — | A ² | A ¹ |

| Crew Cab Standard Box | | Transmission | | Axles | | GVWR ³ (pounds) | | | | |
|-----------------------|---------------|----------------------------|---------------------------------|------------|------------|----------------------------|----------------|----------------|----------------|----------------|
| Model | Engine | 6-Speed Automatic HD (MYD) | Allison 6-Speed Automatic (MW7) | 3.73 (GT4) | 4.10 (GT5) | 10000 (C7A) | 10500 (C7G) | 10800 (JFL) | 11100 (JFN) | 11500 (G1Y) |
| CC30743/ TC30743 | 6.0L V8 (L96) | S | — | S | A | A ² | S ² | — | — | — |
| | 6.6L V8 (LML) | — | A | S | — | — | — | — | A ² | — |
| CK30743/ TK30743 | 6.0L V8 (L96) | S | — | S | A | A ² | — | S ² | — | — |
| | 6.6L V8 (LML) | — | A | S | — | — | — | — | — | A ² |

| Crew Cab Long Box | | Transmission | | Axles | | GVWR ³ (pounds) | | | | |
|---------------------|------------------|----------------------------|---------------------------------|------------|------------|----------------------------|----------------|----------------|----------------|----------------|
| Model | Engine | 6-Speed Automatic HD (MYD) | Allison 6-Speed Automatic (MW7) | 3.73 (GT4) | 4.10 (GT5) | 10000 (C7A) | 11000 (C7E) | 11400 (C7W) | 11600 (C7V) | 13000 (C7J) |
| CC30943/ TC30943 | 6.0L V8 (L96) | S | — | S | A | A ² | — | — | — | S |
| | 6.6 V8 (LML/LGH) | — | A | S | — | — | — | A ² | — | A ¹ |
| CK30943/ TK30943 | 6.0L V8 (L96) | S | — | S | A | — | S ² | — | — | S |
| | 6.6 V8 (LML/LGH) | — | A | S | — | — | — | — | A ¹ | A ¹ |

S = Standard Equipment
A = Available
— = Not Available

1. Requires dual rear wheels
2. Requires single rear wheel
3. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Silverado/Sierra 3500HD Chassis Cab

Available Models

- 2WD Regular Cab SWB (CC31003/TC31003)
- 2WD Regular Cab LWB (CC31403/TC31403)
- 2WD Crew Cab (CC31043/TC31043)
- 4WD Regular Cab SWB (CK31003/TK31003)
- 4WD Regular Cab LWB (CK31403/TK31403)
- 4WD Crew Cab (CK31043/TK31043)

Engines

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI 322 horsepower, 380 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 335 horsepower, 685 lb.-ft. torque |

Silverado/Sierra 3500HD Chassis Cab with YF2 Ambulance Package

Available Models

- 2WD Regular Cab LWB (CC31403/TC31403)
- 4WD Regular Cab LWB (CK31403/TK31403)

Engines

| | |
|-----|---|
| L96 | Vortec 6.0L V8 SFI 322 horsepower, 380 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 335 horsepower, 685 lb.-ft. torque |

| Model | Engine | Transmissions | | Axles | | GWR ¹ (pounds) |
|---------------------|----------------|----------------------------|--|------------|------------|---------------------------|
| | | 6-Speed Automatic HD (MYD) | Allison 1000 6-Speed Automatic with OD (MW7) | 3.73 (GT4) | 4.10 (GT5) | |
| CC31**3/ TC31**3 | 6.0L V8 (L96) | S | — | S | A | S |
| | 6.6L V8 (LGH) | — | A | S | — | S |
| CK31*03/ TK31*03 | 6.0 L V8 (LY6) | S | — | S | A | S |
| | 6.6L V8 (LGH) | — | A | S | — | S |

S = Standard Equipment A = Available — = Not Available

1. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Express/Savana Cargo Vans

Available Models

- 135-inch wheelbase G1500 Cargo Van (CG13405/TG13405)
- 135-inch wheelbase G1500 AWD Cargo Van (CH13405/TH13405)
- 135-inch wheelbase G2500 Cargo Van (CG23405/TG23405)
- 155-inch wheelbase G2500 Cargo Van (CG23705/TG23705)
- 135-inch wheelbase G3500 Cargo Van (CG33405/TG33405)
- 155-inch wheelbase G3500 Cargo Van (CG33705/TG33705)

Engines

| | |
|-----|---|
| LU3 | Vortec 4.3L V6 MFI 195 horsepower, 260 lb.-ft. torque |
| L20 | Vortec 4.8L V8 SFI; FlexFuel ³ 280 horsepower, 295 lb.-ft. torque |
| LMF | Vortec 5.3L V8 SFI; FlexFuel ³ 310 horsepower, 334 lb.-ft. torque |
| L96 | Vortec 6.0L V8 SFI; FlexFuel ³ 324 horsepower, 373 lb.-ft. torque |
| LC8 | 6.0L V8 SFI Gaseous |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 260 horsepower, 525 lb.-ft. torque |

| Model | Engine | Transmissions | | Axles | | | GVWR ⁴ (pounds) | | | |
|---|----------------------------|-------------------------|----------------------------|------------|------------|----------------|----------------------------|------------|------------|----------------|
| | | 4-Speed Automatic (M30) | 6-Speed Automatic HD (MYD) | 3.42 (GU6) | 3.54 (GHO) | 3.73 (GT4) | 7300 (C6A) | 8600 (C6P) | 9600 (C6Y) | 9900 (C4M) |
| 1500 | | | | | | | | | | |
| CG13405/ TG13405/ | 4.3L V6 (LU3) ¹ | S | — | S | — | — | S | — | — | — |
| CH13405/ TH13405 | 5.3L V8 (LMF) | S | — | S | — | A ¹ | S | — | — | — |
| 2500 | | | | | | | | | | |
| CG23405/ TG23405/ CG23705/ TG23705 | 4.8L V8 (L20) | — | S | S | — | — | — | S | — | — |
| | 6.0L V8 (L96) | — | S | S | — | — | — | S | — | — |
| | 6.0L V8 ¹ (LC8) | — | S | S | — | — | — | S | — | — |
| | 6.6L V8 (LGH) | — | S | — | S | — | — | S | — | — |
| 3500 | | | | | | | | | | |
| CG33405/ TG33405/ CG33705/ TG33705 | 4.8L V8 (L20) | — | S | S | — | — | — | — | S | — |
| | 6.0L V8 (L96) | — | S | S | — | — | — | — | S | — |
| | 6.0L V8 ¹ (LC8) | — | S | S | — | — | — | S | — | — |
| | 6.6L V8 (LGH) | — | S | — | S | — | — | — | S | S ² |

S = Standard Equipment A = Available — = Not Available

1. Not available on T/CG23705 or T/CG33705

2. Standard on G33705

3. E85 is 85% ethanol, 15% gasoline. Visit <http://www.gmfleet.com/alternative-fuels/alt-fuels.jsp> to see where there is an E85 station near you.

4. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Express/Savana Passenger Vans

Available Models

- 135-inch wheelbase 1500 Passenger Van (CG13406/TG13406)
- 135-inch wheelbase 1500 AWD Passenger Van (CH13406/TH13406)
- 135-inch wheelbase 2500 Passenger Van (CH23406/TG23406)
- 135-inch wheelbase 3500 Passenger Van (CG33406/TG33406)
- 155-inch wheelbase 3500 Passenger Van (CG33706/TG33706)

Engines

| | |
|-----|---|
| L20 | Vortec 4.8L V8 SFI; E85 FlexFuel ¹ 280 horsepower, 295 lb.-ft. torque |
| LMF | Vortec 5.3L V8 SFI; E85 FlexFuel ¹ 310 horsepower, 334 lb.-ft. torque |
| L96 | Vortec 6.0L V8 SFI; E85 FlexFuel ¹ 324 horsepower, 373 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 260 horsepower, 525 lb.-ft. torque |

| Model | Engine | Transmissions | | Axles | | | GWR ² (pounds) | | | |
|--------------------------------|---------------|-------------------------|------------------------|------------|------------|------------|---------------------------|------------|------------|------------|
| | | 4-Speed Automatic (M30) | 6-Speed Auto. HD (MYD) | 3.42 (GU6) | 3.54 (GHO) | 3.73 (GT4) | 7300 (C6A) | 8600 (C6P) | 9600 (C6Y) | 9900 (C4M) |
| 1500 | | | | | | | | | | |
| G/H13406 | 5.3L V8 (LMF) | S | — | S | — | A | S | — | — | — |
| 2500 | | | | | | | | | | |
| CG23406/TH23406 | 4.8L V8 (L20) | — | S | S | — | — | — | S | — | — |
| | 6.0L V8 (L96) | — | S | S | — | — | — | S | — | — |
| 3500 | | | | | | | | | | |
| CG33406/TH33406/CG33706/G33706 | 4.8L V8 (L20) | — | S | S | — | — | — | — | S | — |
| | 6.0L V8 (L96) | — | S | S | — | — | — | — | S | — |
| | 6.6L V8 (LGH) | — | S | — | S | — | — | — | — | S |

1. E85 is 85% ethanol, 15% gasoline. Visit gm.com/biofuels to see where there is an E85 station near you.
2. When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Express/Savana Cutaway

Available Models

- 139-inch wheelbase Cutaway Van (CG33503/TG33503)
- 159-inch wheelbase Cutaway Van (CG33803/TG33803)
- 4500 Series; 159-inch wheelbase Cutaway Van (CG33803/TG33803)
- 177-inch wheelbase Cutaway Van (CG33903/TG33903)

Engine RPOs

| | |
|-----|---|
| L20 | Vortec 4.8L V8 SFI 280 horsepower, 295 lb.-ft. torque |
| LC8 | 6.0L V8 SFI Gaseous |
| L96 | Vortec 6.0L V8 SFI 324 horsepower, 373 lb.-ft. torque |
| LGH | Duramax 6.6L Turbo Diesel V8; B20 Diesel compatible 260 horsepower, 525 lb.-ft. torque |

| Model | Engine | Transmission 6-Speed Automatic HD (MYD) | Axles | | | | GWR ² (pounds) | | | | |
|-----------------|---------------|--|------------|------------|------------|----------------|---------------------------|----------------|----------------|----------------|----------------|
| | | | 3.42 (GU6) | 3.54 (GHO) | 3.73 (GT4) | 4.10 (GT5) | 9900 (C4M) | 10000 (C7A) | 12300 (C7N) | 13980 (C8V) | 14200 (C71) |
| CG33503/TG33503 | 4.8L V8 (L20) | S | S | — | A | — | S ³ | A ⁴ | — | — | — |
| | 6.0L V8 (L96) | S | A | — | A | — | A | A ⁴ | A ⁴ | — | — |
| | 6.6L V8 (LGH) | S | — | A | A | — | S ³ | A ⁴ | A ⁴ | — | — |
| CG33803/TG33803 | 4.8L V8 (L20) | S | — | — | S | — | — | S ⁴ | — | — | — |
| | 6.0L V8 (L96) | S | — | — | — | S ⁵ | — | S ⁴ | A ⁴ | — | A ⁵ |
| | 6.0L V8 (LC8) | S | — | — | — | S | — | — | — | — | A ⁵ |
| CG33903/TG33903 | 6.6L V8 (LGH) | S | — | — | S | — | — | S ⁴ | A ⁴ | A ⁵ | A ⁵ |
| | 6.0L V8 (L96) | S | — | — | S | — | — | — | S ⁴ | — | — |
| | 6.6L V8 (LGH) | S | — | — | S | — | — | — | S ⁴ | — | — |

3. Requires (R04) Single Rear Wheels.
4. Requires (R05) Dual Rear Wheels.
5. Requires 4500 Vans.

S = Standard Equipment
A = Available
— = Not Available