

2021 model shown. Vehicle shown with upfits from an independent supplier and are not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety and quality of independent supplier alterations.

2021

# **GMC SAVANA CUTAWAY**







New Available Engine

Max. Available GVWR<sup>2</sup>

#### **AVAILABLE MODELS**

# Savana Cutaway

Savana Cataway	
RWD 3500 - 139-inch wheelbase	1WT
RWD 3500 - 159-inch wheelbase	1WT
RWD 3500 - 177-inch wheelbase	1WT
RWD 4500 - 159-inch wheelbase	2WT
RWD 4500 - 177-inch wheelbase	2WT

#### **EXTERIOR COLORS**

Cardinal Red



Quicksilver Metallic<sup>3</sup> Summit White

#### **KEY STANDARD FEATURES**

Features based on 1WT (3500) and 2WT (4500) unless otherwise noted.

#### SAFETY + SECURITY

Rear Vision Camera Prep<sup>4</sup> (10,000-lb. GVWR<sup>2</sup> and under)

Theft-deterrent system

Tire Pressure Monitoring System (3500 models with 9,900-lb. GVWR<sup>2</sup>)

#### **PERFORMANCE**

4.3L V6 engine (276 hp/298 lb.-ft. of torque) with 8-speed automatic transmission (standard on 3500 models with 139-inch wheelbase)

6.6L gas V8 engine (401 hp/464 lb.-ft. of torque) with 6-speed heavy-duty automatic transmission (standard on 3500 models with 159- and 177-inch wheelbase and all 4500 models)

4-wheel antilock disc brakes

150-amp alternator

Hill Start Assist

StabiliTrak® Electronic Stability Control System

#### PRODUCTIVITY + DRIVE EXPERIENCE

4G LTE Wi-Fi® Hotspot capable, includes 1-month trial or 3GB of 4G LTE data (whichever comes first)<sup>1</sup>

16-inch wheels

120-volt power outlet

AM/FM stereo with MP3 player

Black rubberized-vinvl floor covering

Body-on-frame

Daytime Running Lamps

**Driver Information Center** 

High-back front bucket seats (vinyl or cloth)

Single-zone manual air conditioning

#### **KEY AVAILABLE FEATURES**

Optional features and packages vary by trim level. See Order Guide for details.

6.6L gas V8 engine (401 hp/464 lb.-ft. of torque) with 6-speed heavy-duty automatic transmission (available on 3500 models with 139-inch wheelbase)

57-gallon fuel tank (approx.)

Bluetooth® wireless technology<sup>5</sup> for select phones

Cruise control

Dual rear wheels

Dual batteries: 770 cold-cranking amp primary and isolated heavy-duty 770 cold-cranking amp

Extended mirrors

Forward Collision Alert<sup>4</sup> and Lane Departure Warning<sup>4</sup>

Heated, power-adjustable, manual-folding outside mirrors

Heavy-duty battery with 770 cold-cranking amps

High idle switch

Leather-wrapped steering wheel

Locking rear differential

OnStar®-embedded hardware, includes 3-month trial of Safety & Security<sup>6</sup> and 3-month trial of Driver Remote Access<sup>6</sup>

Power door locks

Power windows

Rear Vision Camera Prep<sup>4</sup> (models over 10,000-lb. GVWR<sup>2</sup>)

Remote Keyless Entry

Remote Start

# **AVAILABLE FLEET PACKAGES**

Ambulance Package (Click here for details)

School Bus Package (Click here for details)

Shuttle Bus Package (Click here for details)



2021 model shown. Vehicle shown with upfits from an independent supplier and are not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety and quality of independent supplier alterations.

2021

# SCHOOL BUS/SHUTTLE BUS APPLICATIONS







Three Wheelbase Options New Available Engine

# **AVAILABLE MODELS**

Express/Savana Cutaway	
3500 - 139-inch wheelbase	1WT
3500 - 159-inch wheelbase	1WT
4500 - 159-inch wheelbase	2WT
4500 - 177-inch wheelbase	2WT

## EXTERIOR COLORS (CHEVROLET/GMC)

Black/Onyx Black Red Hot/ Cardinal Red Silver Ice Metallic/ Quicksilver Metallic<sup>2</sup>

Summit White

Wheatland Yellow<sup>3</sup>

#### **KEY STANDARD FEATURES**

Features based on Express/Savana Cutaway 1WT (3500) and 2WT (4500) unless otherwise noted.

#### **SAFETY + SECURITY**

Rear Vision Camera Prep<sup>4</sup> (10,000-lb. GVWR<sup>1</sup> and under)

#### **PERFORMANCE**

4.3L V6 engine (276 hp/298 lb.-ft. of torque) (standard on 3500 models with 139-inch wheelbase)

6.6L gas V8 engine (401 hp/464 lb.-ft. of torque) (standard on 3500 models with 159-inch wheelbase and all 4500 models, available on 3500 models with 139-inch wheelbase)

4-wheel antilock disc brakes

Hill Start Assist

StabiliTrak® Electronic Stability Control System

#### PRODUCTIVITY + DRIVE EXPERIENCE

110-volt power outlet

Daytime Running Lamps

**Driver Information Center** 

Driver-only high-back bucket seating

Single-zone manual air conditioning

## **KEY AVAILABLE FEATURES**

Optional features and packages vary by trim level. See Order Guide for details.

Dual rear wheels

Locking rear differential

Remote Keyless Entry (Shuttle Bus only)

Remote Start (Shuttle Bus only)

#### SCHOOL BUS CHASSIS PACKAGE (B3D)

32-gallon side-mount fuel tank (approx.)

220-amp alternator

Auxiliary rear heat provisions

Brake warning indicator

Dual batteries: 770 cold-cranking amps primary and isolated heavy-duty 770 cold-cranking amps

Dual-note horn

Outside mirror delete

Stop/turn signal circuits (allow the stop and turn signals to be operated separately)

Wiring junction block accessory with (2) 30-amp circuits

# SHUTTLE BUS CHASSIS PACKAGE (ANC)

6.6L gas V8 engine (401 hp/464 lb.-ft. of torque)

220-amp alternator

Auxiliary rear heat provisions

Chrome Appearance Package

Cruise control

Dual batteries: 770 cold-cranking amps primary and isolated heavy-duty 770 cold-cranking amps

Soft-mount donut and bolt

Stop/turn signal circuits (allow the stop and turn signals to be operated separately)

Wiring junction block accessory with two 30-amp circuits

	3500 (139-inch WB)	3500 (159-inch WB)	4500 (159-inch WB)	4500 (177-inch WB)
Mechanical/Capacities				
Engine	4.3L V6 (std.) 6.6L gas V8 (opt.)	6.6L gas V8	6.6L gas V8	6.6L gas V8
Transmission	8-speed (std.) 6-speed (opt.)	6-speed	6-speed	6-speed
Frame yield strength (psi)	33,000	33,000	33,000	33,000
GVWR <sup>1</sup> options (lbs.)	9,900-12,300	12,300	14,200	14,200
Max. payload <sup>5</sup> (lbs.)	7,150	7,120	8,920	8,870
Max. fuel tank capacity (approx. gal.)	32	32/57	32/57	32/57
Wheels	SRW/DRW	DRW	DRW	DRW
Exterior Dimensions				
Length (in.	247.2	267.2	267.2	285.3
Body width (in.)	79.2 (SRW) 94.53 (DRW)	94.53	94.53	94.53
Cab to axle (in.)	80	100	100	118
Cab to end of frame (in.)	148.5	168.5	168.5	186.5

1 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 Premium paint; additional cost. 3 SEO solid paint color. 4 Read the vehicle's Owner's Manual for important safety and driver assistance feature limitations and information. 5 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver's door jamb.



2021 model shown. Vehicle shown with upfits from an independent supplier and are not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety and quality of independent supplier alterations.

2021

# **AMBULANCE APPLICATION**



Solid Foundation for Upfits



**POWER** 

Dual Batteries with Isolated Second Battery



Chassis Cab, Cargo Van and Cutaway Van Choices

# AMBULANCE PACKAGES

### SILVERADO 3500 HD/SIERRA 3500 HEAVY DUTY REGULAR CAB CHASSIS CAB

Requires fleet or government sales order type.

Duramax<sup>®</sup> 6.6L Turbo-Diesel V8 engine (445 hp/910 lb.-ft. of torque)

Allison® 10-speed automatic transmission

Alternator options: Single 220-amp or Dual 220-/150-amp

Wide-track rear axle

#### **EXPRESS/SAVANA CARGO VANS (YF2)**

Requires 3500 Extended Wheelbase model and specific glass packages. See Order Guide for details.

4.3L V6 engine (276 hp/298 lb.-ft. of torque)

8-speed automatic transmission

220-amp alternator

Accessory equipment wiring junction block

Chrome Appearance Package

Dual batteries: 770 cold-cranking amps primary and isolated heavy-duty 770 cold-cranking amps

Dual-note horn

High idle switch

HVAC system auxiliary provisions

Locking rear differential

#### **EXPRESS/SAVANA CUTAWAY (YF2)**

Requires 3500 with 139-inch or 159-inch wheelbase or 4500 model with 159-inch wheelbase

6.6L gas V8 engine (401 hp/464 lb.-ft. of torque)

6-speed automatic transmission

32- or 57-gallon fuel tank (approx.) (See below.)

220-amp alternator

Accessory equipment wiring junction block

Chrome Appearance Package

Cruise control

Dual batteries: 770 cold-cranking amps primary and isolated heavy-duty 770 cold-cranking amps

Dual-note horn

Dual rear wheels

High idle switch

HVAC system auxiliary provisions

Light package with separate stop/turn circuits
Locking rear differential

# **AVAILABLE MODELS**

Silverado 3500 HD/Sierra 3500 Heavy Duty Regular Cab Chassis Cab	1WT/1LT
Express/Savana Cargo Van	
RWD 3500 - Extended	1WT
Express/Savana Cutaway	
RWD 3500 - 139-inch wheelbase	1WT
RWD 3500 - 159-inch wheelbase	1WT
RWD 4500 - 159-inch wheelbase	2WT

#### EXTERIOR COLORS (CHEVROLET/GMC)

Black/ Onyx Black Red Hot/ Cardinal Red Silver Ice Metallic/ Quicksilver Metallic<sup>1</sup>

Summit White

4500 3500 HD Regular 3500 3500 Cab Chassis Cab Cargo Van **Cutaway Van Cutaway Van** Mechanical/Capacities Standard engine 6.6L Turbo-Diesel 4.3L V6 (std.) 6.6L gas V8 6.6L gas V8 V8 6.6L gas V8 (opt.) Transmission Allison® 10-speed 8-speed (std.) 6-speed 6-speed 6-speed (opt.) Frame vield strength (psi) 33.000 33.000 33.000 33.000 Max. GVWR<sup>2</sup> (lbs.) 14,000 9,900 12,300 14,200 Max. payload3 (lbs.) 6.511 (2WD) 4.090 7.150 (139-in, WB) 8.920 7.120 (159-in, WB) 6.246 (4WD) Max. fuel tank capacity 63.5 31 32/57 57 (approx. gal.) **Exterior Dimensions** Wheelbase (in.) 170.8 155 139/159 159 79.2 Body width (in.) 80.4 79.2 79.2 84 80/100 100 Cab to axle (in.) \_ 135.4 Cab to end of frame (in.) 148.5/168.5 168.5